

ENTRON™

EN1000 Series Bench Controls

Multiple Schedule/Multiple Sequence Controls

Date: May 2006

Supersedes: April 2002

SPECIFICATIONS

Absolute Count: Push Button Data Entry with Display

Squeeze Count:	0 to 99 cyc, 50/60 Hz
Weld Count/Heat Count:	0 to 99 cyc, 50/60 Hz
Cool Count:	0 to 99 cyc, 50/60 Hz
Hold Count:	0 to 99 cyc, 50/60 Hz
Off Count:	0 to 99 cyc, 50/60 Hz
Weld Impulse Counter:	1 to 99 Impluses
Slope Control/Up and Down Slope:	0 to 99 cyc, 50/60 Hz
Digital Phase Shift Current Control, 10 to 99% in 1% current steps, all weld current functions	
It is NOT necessary to program functions NOT required, program only functions required	

Standard RWMA/NEMA Programmable Functions

Including the following as examples:

- Up Slope and Down Slope
- Quench/Temper
- Pulsation Sequence
- Multi-Weld Count/Multi-Current Select
- Pre-Heat/Post-Heat
- Seam Weld (Continuous and Intermittent)

4 Cycle Modes

- Non-Repeat: Single Schedule upon initiation
- Repeat: Single Schedule repeated with pilot circuit held closed
- Successive: Upon each initiation, unique successive schedules are automatically selected
- Chained: Multiple schedules can be linked to operate sequentially upon a single initiation

Additional Features

- Error Code/Fault Outputs
- 87° First Half Cycle Delayed Firing, Anti-Saturation Circuit
- Dynamic Automatic Power Factor Equalization
- Dynamic Automatic Voltage Compensation, $\pm 20\%$ of Nominal Line
- Single 1/2 Cycle Weld Selection
- Polarity Reverse Switch
- Single Stage Pilot/2 Stage Pilot, Beat/Non-Beat Operation
- Operational Lights: Power On
Weld Current
- Indicator lights for all functions on display panel
- Single Valve Output Standard: 115V or 230V (Without Transformer)
- Weld – No-Weld Switch
- Voltage: 230/460, 50/60 Hz (115, 380, 575V, Optional)



Exclusive ENTRON two year warranty

EN1000 Series Bench Controls

Multiple Schedule/Multiple Sequence Controls



EN1000

Style "B" Cabinet

222 mm x 222 mm x 296 mm

8-3/4" x 8-3/4" x 11-3/4"

The **EN1000 Series Bench Control** is ideal for programming schedules for welding coated materials, aluminum, other non-ferrous metals, special alloys, multiple thickness of materials and many special part configurations.

- Store up to 50 **UNIQUE SCHEDULES**
 - Every parameter of each schedule individually accessible
 - Each schedule can store 11 distinct and totally different parameters
 - All schedules retained in memory with power off
 - It is **NOT NECESSARY** to program functions not required
- Four Cycle Modes can be programmed for complex welding schedules
- Single valve output circuitry
- Single contactor circuitry
 - Process control outputs
- Additional Standard Features:
 - External Schedule Select
 - Contactor Failed Detection
- Control can be **INTERFACED** with external Programmable Logic Control (PLC); Advanced interfaces available

Contact your ENTRON Controls
Representative, or Your Local Resistance
Welding Equipment Source



Contact SCI for additional information and pricing.
(888) 255-6780 toll free order line
(972) 475-0874 phone • (972) 475-5024 fax
4209 Industrial • Rowlett, Texas 75088